

Food and Drug Administration 9200 Corporate Boulevard Rockville MD 20850

## AUG 1 2001

Mr. Nick Novicky
Director of Research and Development
Progressive Optical Research
#20, 1410-40 Ave. N.E.
Calgary, Alberta

Re: 510(K) Number: K010454

Trade/Device Name: The Alberta LensTM SM2 (sulfocon B) Contact Lenses for daily wear.

(Clear and Tinted; with Ultraviolet Absorber-Tinuvin P)

Regulation Number: 21 CFR 886.5916

Regulatory Class: Class II Product Code: HQD Dated: May 8, 2001 Received: May 9, 2001

Dear Mr. Novicky:

We have reviewed your Section 510(k) notification of intent to market the device referenced above and we have determined the device is substantially equivalent (for the indications for use stated in the enclosure) to devices marketed in interstate commerce prior to May 28, 1976, the enactment date of the Medical Device Amendments, or to devices that have been reclassified in accordance with the provisions of the Federal Food, Drug, and Cosmetic Act (Act). You may, therefore, market the device, subject to the general controls provisions of the Act. The general controls provisions of the Act include requirements for annual registration, listing of devices, good manufacturing practice, labeling, and prohibitions against misbranding and adulteration.

If your device is classified (see above) into either class II (Special Controls) or class III (Premarket Approval), it may be subject to such additional controls. Existing major regulations affecting your device can be found in the Code of Federal Regulations, Title 21, Parts 800 to 895. A substantially equivalent determination assumes compliance with the Current Good Manufacturing Practice requirements, as set forth in the Quality System Regulation (QS) for Medical Devices: General regulation (21 CFR Part 820) and that, through periodic QS inspections, the Food and Drug Administration (FDA) will verify such assumptions. Failure to comply with the GMP regulation may result in regulatory action. In addition, FDA may publish further announcements concerning your device in the Federal Register. Please note: this response to your premarket notification submission does not affect any obligation you might have under sections 531 through 542 of the Act for devices under the Electronic Product Radiation Control provisions, or other Federal laws or regulations.

This letter will allow you to begin marketing your device as described in your 510(k) premarket notification. The FDA finding of substantial equivalence of your device to a legally marketed predicate device results in a classification for your device and thus, permits your device to proceed to the market.

If you desire specific advice for your device on our labeling regulation (21 CFR Part 801 and additionally 809.10 for in vitro diagnostic devices), please contact the Office of Compliance at (301) 594-6413. Additionally, for questions on the promotion and advertising of your device, please contact the Office of Compliance at (301) 594-4639. Also, please note the regulation entitled, "Misbranding by reference to premarket notification" (21 CFR 807.97). Other general information on your responsibilities under the Act may be obtained from the Division of Small Manufacturers Assistance at its toll-free number (800) 638-2041 or (301) 443-6597 or at its internet address "http://www.fda.gov/cdrh/dsma/dsmamain.html".

Sincerely yours, A. Ralph Kneuthal

A. Ralph Rosenthal, M.D.

Director

Division of Ophthalmic and Ear, Nose and Throat Devices Office of Device Evaluation Center for Devices and

Center for Devices an Radiological Health

510 (k	*) NUMBER (IF KNOWN) : <u>K0 /0 454</u>
DEVI	CE NAME: The Alberta Lens <sup>TM</sup> SM2 (Sulfocon B)
INDI	CATIONS FOR USE:
	The Alberta Lens SM2 (Sulfocon B) rigid gas permeable contact lens is
	indicated for daily wear for the correction of visual acuity in non-aphakic
	persons with non-diseased eyes that are myopic or hyperopic. The lens
	may be worn by persons who may exhibit astigmatism of 3.00 diopters (D)
	or less that does not interfere with visual acuity.
(PLEA	ASE DO NOT WRITE BELOW THIS LINE-CONTINUE ON ANOTHER PAGE IF NEE
	(Division Sign-Off) Division of Ophthalmic Devices 510(k) Number Kolo 454